

**TX-7070W48FSB3-NU3CH-01**

## PRODUCT SPECIFICATION

**Features:**




**Chip Material:**

**Emitting Color:**

**Applications:**

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

## Package Dimensions:



|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

Absolute Maximum Ratings (Tc=25 )

Notes:

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

Electrical Optical Characteristics (Tc=25℃)

| Parameter | Symbol | Condition | Emitting color | Min. | Typ. | Max. | Units |
|-----------|--------|-----------|----------------|------|------|------|-------|
|-----------|--------|-----------|----------------|------|------|------|-------|



EX Γ Ó.



White Color coordinate filing (IF=1000mA )

|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |



Notes:

## Typical Electrical/Optical Characteristics Curves






广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd



## Usage Precautions

### Storage Environment Condition

### Soldering Condition




| Profil-Charakteristik<br>Profile Feature | Symbol | Pb-Free(SnAgCu)Assembly |                |         | Einheit<br>Unit |
|------------------------------------------|--------|-------------------------|----------------|---------|-----------------|
|                                          |        | Minimum                 | Recommendation | Maximum |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |
|                                          |        |                         |                |         |                 |

Note:

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

# Dimensions For Cannulation And Packaging

Quantity: 1000PCS



|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|